




# ICM – International Congress Center Messe München


## DETAILS HALL B0

### including technical specifications

Areas/rooms	Area in m <sup>2</sup>	 Theater	 Classroom	 Banquet
Hall B0	3,500	on request	on request	on request

### The central multifunctional hall

Hall B0 offers 3,500 m<sup>2</sup> of multi-purpose usage options for up to 1,500 people. With the entire infrastructure of an exhibition hall, Hall B0 is suitable for your exhibitions and caterings as well as stylish gala dinners with short distances. All necessary connections for electricity, water, telecommunications and data transmission are available. Hall B0 combines perfectly with our stylish foyer. Both rooms feature very high-quality equipment and furnishings.



### Specifications

#### Logistics

- Delivery: direct access via gate 21 of the exhibition grounds
- Loading gate: 12.50 m width x 4.50 m height
- Entering the hall with motor vehicles is not permitted.
- The use of forklift trucks is reserved for accredited forwarding agents.

#### Suitable for

- Exhibitions, catering, setting up additional conference rooms

#### Description


- Lighting: up to 400 Lux/m<sup>2</sup>, no daylight
- The four central columns can be illuminated in color with LED RGBW lights.
- Suitable exhibition space: 2,488 m<sup>2</sup>
- Clearance height: 4 m
- Walls: wood paneling
- Floors: oak timber parquet
- Permissible point load: 30 cm x 30 cm: max. 2 t (20 kN)
- Permissible floor load: max. 2 t/m<sup>2</sup> (20 kN/m<sup>2</sup>)
- Suspension points: spacing approx. 5.10 m x 2.75 m, max. 100 kg (1 kN) perpendicular per point

#### Utilities

- Room climate: partially air-conditioning
- Utility ducts: diagonal to longitudinal direction of hall, spacing 5 m, cross section 35 cm x 38 cm
- Water connection: up to DN 25/3.5 bar from utility duct
- Waste water connection: up to DN 100 from utility duct
- Compressed air connection: up to DN 50/10 bar from utility duct
- Power supply: up to 85 kW per connection (CEE 125 A) from utility duct
- Phone connections: IP phone, fax machine analog
- Broadband connections: PMX
- Network connections: Internet access, dynamic and static public IP, connection type: Ethernet/RJ-45 and fiber optic E2000
- Cable TV connections: digital broadband network (DVB-C)

# ICM – International Congress Center Messe München

## HALL B0: EMPTY



**F** Extinguisher  
**→** Escape route

Area in m<sup>2</sup>

3,500


#### Exhibition Terms and Conditions:

- Exhibition layout with sufficient emergency aisles between the hatched areas
- Fire extinguishing equipment and emergency escape routes must be kept clear at all times, even during setup and dismantling
- Dimensions must be independently verified on location


# ICM – International Congress Center Messe München

## HALL B0: EMPTY

### INCL. STRUCTURE HEIGHT LIMITS



**Last update: August 5, 2024**  
 Disclosure to third parties only permitted with written authorization. All specifications must be independently verified on location.




**F** Extinguisher  
**E** Escape route

Area in m <sup>2</sup>
3,500


- Exhibition Terms and Conditions:**
- Exhibition layout with sufficient emergency aisles between the hatched areas
  - Fire extinguishing equipment and emergency escape routes must be kept clear at all times, even during setup and dismantling
  - Dimensions must be independently verified on location





# ICM – International Congress Center Messe München

## HALL B0: SUSPENSION POINTS UTILITY DUCTS



**Last update: August 5, 2024**  
Disclosure to third parties only permitted with written authorization. All specifications must be independently verified on location.




-  Utility ducts
-  Suspension points
-  Extinguisher
-  Escape route

**Area in m<sup>2</sup>**  
3,500


- Exhibition Terms and Conditions:**
- Exhibition layout with sufficient emergency aisles between the hatched areas
  - Fire extinguishing equipment and emergency escape routes must be kept clear at all times, even during setup and dismantling
  - Dimensions must be independently verified on location

# ICM – International Congress Center Messe München

## HALL B0: BUILDABLE SPACE



**Last update: August 5, 2024**  
 Disclosure to third parties only permitted with written authorization. All specifications must be independently verified on location.



**F** Extinguisher  
**→** Escape route

Area in m<sup>2</sup>  
 2,488

- Exhibition Terms and Conditions:**
- Exhibition layout with sufficient emergency aisles between the hatched areas
  - Fire extinguishing equipment and emergency escape routes must be kept clear at all times, even during setup and dismantling
  - Dimensions must be independently verified on location