

EXCELLENT PRODUCTS
SPECIFICALLY FOR
NATURAL STONE, COMPOSITE STONE,
PORCELAIN AND CERAMIC TILES

PRODUCT CATALOGUE

CLEANING • PROTECTION • MAINTENANCE



www.moellerstonecare.com



Coverage: 0.2 sqm/liter



Coverage: 5-10 sam/liter



Coverage: 10-30 sqm/liter



Coverage: 10-20 sqm/liter



Coverage: 10-80 sqm/liter

R158 is a ready to use acid based cleaner that removes lime scale, soap residue, urine stains and other stubborn deposits from acid resistant natural and artificial stone, ceramic/porcelain sanitary ware, glazed and polished tiles and glass in bathrooms. R158 also cleans and refreshes the grout between tiles.

Coverage: 10-20 sqm/liter



R159 is a special cleaner that removes dirt, lime scale deposits, urine stains, soap residue and light cement and grout smears from glazed and unglazed ceramic tiles, sanitary ware and brick products. R159 also cleans the grout around tiles and sanitary ware. For interior and exterior use.

When using a wet vacuum we recommend that you add HMK Z702 Defoamer to the water to regulate the amount of foam.

Coverage: 10-100 sqm/liter



R160 is a ready to use special cleaner for use on smaller surfaces. R160 works fast to eliminate and prevent the re-growth of moss, mould, fungus, lichens and mildew from steps, paths, gravestones and walls. Polished surfaces will not be damaged. For interior and exterior use. R160 is also extremely effective for bleaching organic stains caused by coffee, cola, red wine, flowers, berries, fruit and fruit juices.

Coverage: 5-10 sqm/liter



For long term protection and ease of maintenance we recommend HMK S243 Porcelain Tile Impregnator.

R162 is a special concentrated chlorine and acid free cleaner that removes persistent algae and marks caused by plants from paths, steps, terraces and facades on all natural and artificial stone. The active components of R162 restrict re-growth and ensure that surfaces remain clear of vegetation and algae for longer. R162 can be used on polished surfaces.

M 163

Zementschleier Entferner

Schnell- und leicht zu verwenden. Entfernt Zementreste von Beton, Mauerwerk, Putz, Gips, Holz, Metall und Kunststoffen.

Anwendung:

Einmal auftragen, einwirken lassen und mit Wasser abspülen. Bei hartnäckigen Zementresten mehrmals auftragen.

R163 is a special acid based concentrated cleaner for removing cement film, lime scale, mortar residue and heavy construction dirt from all acid tolerant natural and artificial stone, ceramic and porcelain tiles and rough concrete surfaces. Suitable for interior and exterior use. When using a wet vacuum we recommend that you add HMK Z702 Defoamer to the water to regulate the amount of foam.

R165 is a special concentrated acid based cleaner for removing grout and cement residue, construction dirt, persistent lime scale deposits and efflorescence from terracotta, clay tiles, brick and block paving, unglazed ceramic and porcelain tiles, concrete blocks, bricks and acid tolerant natural and artificial stone. Suitable for interior and exterior use.

When using a wet vacuum we recommend that you add HMK Z702 Defoamer to the water to regulate the amount of foam.

R169 is a special low odour concentrated cleaner for removing cement and mortar residue, lime scale, rust and dried in building dirt from all acid-resistant natural stones. For internal and external use. R169 is especially suited for cleaning polished and hard stone. The rust inhibitors contained in R169 make it extremely suitable for the cleaning of areas liable to rust staining. Deposits left from abrasives used in polishing/honing the surface are also removed.

When using a wet vacuum we recommend that you add HMK Z702 Defoamer to the water to regulate the amount of foam.

R170 is a special long lasting acid free concentrated cleaner that removes general dirt and eliminates and prevents the reformation of moss, mould and other vegetation from paths, patios, walls and steps made from natural and artificial stones and other forms of external paving. Even extremely dirty surfaces will become clean and bright again. R170 does not damage polished surfaces. For exterior use.

We recommend the application of an HMK impregnator (e.g. HMK S232 Stain Protection - water based or HMK S234 Stain Protection - extra) to keep surfaces clean for longer.

Coverage: 20-30 sqm/liter

R175 is a special concentrated acid based cleaner that removes cement film, lime scale, mortar residue, rust stains and heavy duty construction dirt from all acid tolerant natural and artificial stone surfaces. The special rust-preventing additives in R175 make it especially suitable for cleaning rust susceptible hard stones, including those with polished finishes. For exterior use only.

Coverage: 10-50 sqm/liter



R179 is a special ready to use cleaner for use on all natural and artificial stone surfaces that removes rust spots caused by iron fertilizer, metal furniture, heater leaks etc. R179 contains special rust inhibitors that reduce future rust development. R179 is especially suitable for polished marble and limestone.

Coverage: 10-20 sqm/liter



R181 is a special cleaner (concentrate) which removes dirt deposits, organic contaminants, oil and grease from the grouts surface. Suitable for use on glazed and unglazed porcelain tiles, ceramic tiles, clinker etc. After cleaning, the dirty grouts are once again hygienically clean. When using a wet vacuum we recommend that you add HMK Z702 Defoamer to the water to regulate the amount of foam.

Coverage: 10-20 sqm/liter



R183 is a special concentrated cleaner that removes construction dirt, cement film and limescale from all acid-resistant natural and artificial stone, tiles, clinker, composite-quartz, stoneware and concrete surfaces internally and externally.

Coverage: 5-30 sqm/liter



R185 is a special concentrated cleaner for removing fatty, oily and greasy substances, general construction dirt, cement and grout smears, wax coatings and film built up from regular cleaning products from polished, honed, satin and brushed composite quartz materials. For interior and exterior use. Polished surfaces will not be damaged.

Coverage: 20-60 sqm/liter



R187 is a mildly alkaline special cleaner composed of highly effective cleaning components including fine abrasive particles. It removes stubborn oily and greasy layers of dirt, light limescale, metal abrasion from pots and pans etc... on composite quartz, porcelain, ceramic and non-polished natural stone surfaces. For interior and exterior use.

Coverage: 5-20 sqm/liter

Impregnations and Sealings



HMK® S232 Stain Protection - water based

S232 is a solvent free water based impregnator that reduces the penetration of water, dirt and oil on soft and hard natural stone surfaces, agglomerates, concrete block, terracotta, brick and block paving, clay surfaces and unglazed tiles. For interior and exterior use. Since S232 is solvent free, buildings can remain occupied during the application process. Color and texture will not be affected.

Once dry the residual material is not hazardous to health and is approved for use with food-stuffs by the LFGB (German Food and Feed Code).

To clean surface thoroughly before treatment, use HMK R155 Intensive Cleaner - acid free. For regular cleaning and continued protection use HMK P324 Liquid Stone Soap, a no-rinse natural product.

Coverage: 5-20 sqm/liter



HMK® S233 Silicone Impregnator

S233 is a ready to use silicone based impregnator that reduces the penetration of water and dirt into all natural stone surfaces (soft and hard stones), agglomerates, concrete block, terrazzo and unglazed bricks. S233 is also suitable for polished surfaces. The colour and structure of the surface will be slightly enhanced. For interior and exterior use.

Once dry the residual material is not harmful to your health.

To clean surface thoroughly before treatment, use HMK R55 Intensive Cleaner -acid free-.

For regular cleaning and continued protection use HMK P24 Liquid Stone Soap, a no-rinse natural product.

Coverage: 5-15 sqm/liter





HMK® S234 Stain Protection - extra

S234 is a ready to use special impregnator which reduces the penetration of water, dirt, oil and grease into all natural stone surfaces (soft and hard stones), agglomerates and terrazzo. S234 is also suitable for polished surfaces. For interior and exterior use.

Once dry the residual material is not hazardous to health and is approved for use with food-stuffs by the LFGB (German Food and Feed Code).

To clean surface thoroughly before treatment, use HMK R155 Intensive Cleaner - acid free. For regular cleaning and continued protection use HMK P324 Liquid Stone Soap, a no-rinse natural product.

Coverage: 5-20 sqm/liter



HMK® S235 Stone Sealer - matte finish

S235 is a ready to use color enhancing surface sealant with a matte finish that reduces the penetration of water and dirt substances into honed, brushed, sandblasted, flamed or riven natural stone (soft and hard stones), agglomerates and terrazzo. The color and structure of the surface will be enriched, leaving a matte finish. Facilitates regular cleaning and overall maintenance, especially on rough and textured surfaces. For interior use only.

Once dry the residual material is not hazardous to health and is approved for use with food-stuffs by the LFGB (German Food and Feed Code).

For clean surface thoroughly before treatment, use HMK R155 Intensive Cleaner - acid free.
For regular cleaning and continued protection use HMK P324 Liquid Stone Soap, a no-rinse
natural product. Coverage: 5-10 sqm

Coverage: 5-10 sqm/liter



HMK® S237 Stone Sealer - satin finish

S237 is a ready to use color enhancing surface sealant with a satin finish that reduces the penetration of water and dirt substances into honed, brushed, sandblasted, flamed or riven natural stone (soft and hard stones), agglomerates and terrazzo. The color and structure of the surface will be enriched, leaving a satin finish. Facilitates regular cleaning and overall maintenance, especially on rough and textured surfaces. For interior use only.

Once dry the residual material is not hazardous to health and is approved for use with foodstuffs by the LFGB (German Food and Feed Code).

To clean surface thoroughly before treatment, use HMK R155 Intensive Cleaner - acid free.
For regular cleaning and continued protection use HMK P324 Liquid Stone Soap, a no-rinse
natural product. Coverage: 5-10 sqm/

Coverage: 5-10 sqm/liter



HMK® S239 Stone Sealer - gloss finish

S239 is a ready to use color enhancing surface sealant with a gloss finish that reduces the penetration of water and dirt substances into honed, brushed, sandblasted, flamed or riven natural stone (soft and hard stones), agglomerates and terrazzo walls. The color and structure of the walls will be enriched, leaving a gloss finish. Facilitates regular cleaning and overall maintenance, especially on rough and textured walls. For interior use only.

Once dry the residual material is not harmful to your health.

To clean surface thoroughly before treatment, use HMK R155 Intensive Cleaner - acid free. For regular cleaning and continued protection use HMK P324 Liquid Stone Soap, a no-rinse natural product.

Coverage: 5-10sqm/liter



HMK® S240 Jobsite Protector and Grout Release

S240 is a concentrated solvent-free pre-grout treatment. S240 forms a protective film on the surface that reduces the penetration of adhesive, cement and grout into all finishes but is especially good for sawn, sandblasted, flamed and riven natural and artificial stones. S240 facilitates the subsequent cleaning and general maintenance of the surface. For interior and exterior use. After grouting, sponge off grout residue with water as well as possible. Once installation is completed, S240 and the remaining dirt should be removed with HMK R155 Intensive Cleaner - acid free.

S240 remains on the surface for more than 48 hours it will become difficult to remove, use HMK R154 Stripper - Stain Remover for removal. Repeat the cleaning procedure if necessary. Do not use acid based cleaners since they will harden the S240. Coverage: 40-60 sqm/lit

Coverage: 40-60 sqm/liter



HMK® S242 Color Enhancer

S242 is a ready to use special impregnator that reduces the penetration of water and dirt on all natural stone surfaces (soft and hard stones), agglomerates and terrazzo. For interior and exterior use. S242 can be used on polished, honed and textured surfaces. The color and structure of the surface will be significantly enhanced.

Once dry the residual material is not harmful to your health.


To clean surface thoroughly before treatment, use HMK R155 Intensive Cleaner - acid free.
For regular cleaning and continued protection use HMK P324 Liquid Stone Soap, a no-rinse natural product.

Coverage: 5-20 sqm/liter



To clean surface thoroughly before treatment, use HMK R161 Porcelain Tile Intensive Cleaner. For regular cleaning and continued protection use HMK P315 Porcelain Tile Care.

For clean surface thoroughly before treatment, use HMK R155 Intensive Cleaner - acid free. For regular cleaning and continued protection use HMK P324 Liquid Stone Soap, a no-rinse natural product.



The image shows a rectangular metal can of Mankor 246 floor polish. The can has a red cap and a label with the following details:

- Brand:** MANKOR
- Product Name:** 246
- Type:** Quarz-Komposit Fleckschmelze
- Description:** Schmier- und Wachslosmittel und alle anderen hartnäckigen Verschmutzungen auf allen polierten Oberflächen.
- Wartungshilfe:** Verhindert die Bildung von Kratzern, Öl- und Fettflecken. Bei regelmäßiger Anwendung verlängert sich der Glanz.
- Netto Inhalt:** 0,75 l

For regular cleaning and continued protection use HMK P311 Composite Quartz Care Cleaner.

Coverage: 20-40 sqm/liter

Maintenance and Polishing Products



HMK® P301 RSP - three in one

P301 is an effective ready to use product for the daily maintenance of kitchen worktops, tables, vanity tops, window sills etc. in all natural and man-made stones. P301 is an outstanding product for quick and effortless removal of light dirt and grease. Special ingredients support the protection already provided by HMK-Impregnators (HMK S232 Stain Protection - water based or HMK S234 Stain Protection - extra). P301 maintains the natural appearance of surfaces with minimal enrichment of the colour and structure of the surface. It has a pleasant, fresh fragrance and has been tested and approved for use with foodstuffs by the LFGB (German Food and Feed Code) and vapours are non-hazardous.

Coverage: 40-60 sqm/liter



HMK® P305 Composite Quartz Spray Cleaner

P305 is a highly effective, ready for use product for the daily care of surfaces such as kitchen worktops, window sills, bar tops, tables and vanity tops made from composite quartz materials. It effortlessly removes light dirt and grease. Special protection agents supplement the effect HMK S246 Composite Quartz Stain Protection. Balanced care substances enhance the natural appearance of the surface and spread a pleasant, fresh fragrance. The treatment may slightly affect the colour and structure of the surface.

Coverage: 40-60 sqm/liter



HMK® P307 Re-polishing Fluid

P307 is a ready to use polishing wax that refreshes worn, scratched and dulled surfaces and enriches the colour and structure of soft and hard natural stones, agglomerates, terrazzo etc. P307 gives the surface a brilliant shine and reduces the penetration of water and dirt. For interior use only.

To clean surface thoroughly before treatment, use HMK R155 Intensive Cleaner - acid free. For regular cleaning and continued protection use HMK P324 Liquid Stone Soap, a no-rinse natural product and HMK P319 Marble and Granite Polish.

Coverage: 10-20 sqm/liter



HMK® P311 Composite Quartz Care Cleaner

P311 is a concentrated mild soap cleaner. It's highly active ingredients clean and maintain composite quartz with a honed, polished or glazed surface quickly and thoroughly. Its natural care components optimise the colour and structure of the material. P311 has been specially developed to bring a brilliant appearance to stone items, floors and walls. If used regularly, the surfaces will become more stain resistant and easier to clean. The water-soluble ingredients prevent the creation of cloudy stains by reducing the build-up of film layers on surfaces like soap residue and limescale deposits. P311 is for daily use. It cleans and maintains in one action. Supports the already applied protective treatment on surfaces.

Coverage: 1.500-2000 sqm/liter



HMK® P315 Porcelain Tile Care Cleaner

P315 is a mild concentrated cleaner with highly active ingredients that clean and maintain honed, polished, textured and glazed porcelain tiles. P315 has been specially developed to enhance the appearance of porcelain wall and floor tiles and contains special ingredients that enrich the colour and structure of the surface. If used regularly, a resistance to stains is developed and the tiles will become easier to clean. It's water-soluble ingredients also prevent the build up of film usually caused by soap residue.

For ease of maintenance we recommend that HMK S243 Porcelain Tile Impregnator is applied to offer added protection.

Coverage: 1.500-2.000 sqm/liter



HMK® P319 Marble and Granite Polish

P319 is a concentrated wax based treatment for fine-honed and polished marble, limestone, granite, slate and artificial stone floors that the surface provides ongoing protection. P319 gives the floor a brilliant shine and reduces the penetration of dirt and water. If used regularly P319 reduces the visibility of marks caused by everyday use. For interior use only. To clean surface thoroughly before treatment, use HMK R155 Intensive Cleaner - acid free. For regular cleaning and continued protection use HMK P324 Liquid Stone Soap, a no-rinse natural product.

Coverage: 150-250 sqm/liter



HMK® P321 Granite and Marble Polishing

P321 is a ready to use polishing paste. P321 is an ideal maintenance polish for vanity tops, kitchen worktops, bar tops, fireplaces, window sills, tables, stairs and other small natural and artificial stone surfaces. P321 reduces the penetration of dirt and water and brings a brilliant shine to surfaces when buffed. The creation of marks such as those left by flower pots are also reduced. For interior use only! For regular cleaning and continued protection use HMK P324 Liquid Stone Soap, a no-rinse natural product.

Coverage: 15-20 sqm/liter



HMK® P323 Polish Preserver - no rinse

P323 is a concentrated emulsion that refreshes worn and dulled natural and artificial stone surfaces. A silky shine is developed without the need for polishing. The protective film that develops with regular use increases water and dirt resistance and makes textured and rough surfaces easier to clean. For interior use only. To clean surface thoroughly before treatment, use HMK R155 Intensive Cleaner - acid free. For regular cleaning and continued protection use HMK P324 Liquid Stone Soap, a no-rinse natural product.

Coverage: 150-250 sqm/liter



HMK® P324 Liquid Stone Soap - no rinse

P324 is a mild concentrated natural soap for daily use. The highly active ingredients quickly and thoroughly clean and maintain all natural and artificial stones, brick paving, clay tiles and unglazed ceramic and porcelain tiles. Its natural protective components support the color and structure of the surface. P324 has been specially developed to enhance the appearance of walls and floors in all natural and artificial stones. If used regularly, treated surfaces increase their resistance to stains as P324 forms an invisible dirt repellent film that helps to support existing impregnation, making regular maintenance easier. The water soluble components prevent streaking and restrict the buildup of soap residue.

Coverage: 1.000-2.000 sqm/liter



HMK® P326 Terracotta Care

P326 is a concentrated care emulsion that enriches the colour and structure of terracotta, brick and clay tiled floors and, gives a brilliant shine to the surface without the need for polishing. P326 develops a protective film that, with regular use, increases water and dirt resistance and makes textured and rough surfaces more resilient to heavy use and easier to care for. For interior use only. To clean surface thoroughly before treatment, use HMK R155 Intensive Cleaner - acid free. For regular cleaning and continued protection use HMK P324 Liquid Stone Soap, a no-rinse natural product.

Coverage: 50-100 sqm/liter



HMK® P328 Terracotta Wax - natural appearance

P328 is a ready to use natural wax that enhances the colour and shine of terracotta, clay and brick surfaces. Water and dirt penetration is reduced and surfaces become easier to maintain and more durable. For interior use only. To clean surface thoroughly before treatment, use HMK R155 Intensive Cleaner - acid free. For regular cleaning and continued protection use HMK P324 Liquid Stone Soap, a no-rinse natural product and HMK P326 Terracotta Care.

Coverage: 5-10 sqm/liter



HMK® P329 Terracotta Wax - brown appearance

P329 is a ready to use natural wax that enhances the colour and shine of terracotta, clay and brick surfaces. P329 additives give the surface an antique and rustic appearance. Water and dirt penetration is reduced and surfaces become easier to maintain and more durable. For interior use only.

To clean surface thoroughly before treatment, use HMK R155 Intensive Cleaner - acid free. For regular cleaning and continued protection use HMK P324 Liquid Stone Soap, a no-rinse natural product and HMK P326 Terracotta Care.

Coverage: 5-10 sqm/liter



HMK® P330 Terracotta Oil

P330 is a ready to use terracotta treatment made from natural oils that enrich and protect the colour and structure of terracotta, brick and clay tiled surfaces. Porous surfaces become more water and dirt repellent and easier to maintain. P330 is not hazardous to health. For interior use only.

To clean surface thoroughly before treatment, use HMK R155 Intensive Cleaner - acid free. Use HMK P328 Terracotta Wax - natural appearance or HMK P329 Terracotta Wax - brown to optimize colour and enhance the shine.

For regular cleaning and continued protection use HMK P324 Liquid Stone Soap, a no-rinse natural product and HMK P326 Terracotta Care.

Coverage: 5-15 sqm/liter



HMK® P335 Antique Marble Paste - light finish

P335 is a ready to use stain made from natural oxidizing oils that enriches the colour and structure of the surface of honed, tumbled, sandblasted, bush-hammered, riven and textured marble, travertine and limestone floors, fireplaces etc. P335 creates an antique and rustic appearance and reduces the penetration of water and dirt into the surface. To complete treatment HMK P337 Antique Marble Finish must be applied. For interior use only!

To clean surface thoroughly before treatment, use HMK R155 Intensive Cleaner - acid free. Use HMK P337 Antique Marble Finish Wax to complete the treatment, enhance the effect of P335 and to provide a silky shine.

For regular cleaning and continued protection use HMK P324 Liquid Stone Soap, a no-rinse natural product.

Coverage: 5-10 sqm/liter



HMK® P336 Antique Marble Paste - dark finish

P336 is a ready to use stain made from natural oxidizing oils that enriches the colour and structure of the surface of honed, tumbled, sandblasted, bush-hammered, riven and textured marble, travertine and limestone floors, fireplaces etc. P336 creates an antique and rustic appearance and reduces the penetration of water and dirt into the surface. To complete treatment HMK P337 Antique Marble Finish must be applied. For interior use only!

To clean surface thoroughly before treatment, use HMK R155 Intensive Cleaner - acid free. Use HMK P337 Antique Marble Finish Wax to complete the treatment, enhance the effect of P336 and to provide a silky shine.

For regular cleaning and continued protection use HMK P324 Liquid Stone Soap, a no-rinse natural product.

Coverage: 5-10 sqm/liter



HMK® P337 Antique Marble Finish Wax - natural

P337 is a ready to use finish wax that enriches the colour and structure of honed, tumbled, sandblasted, bush-hammered, riven and textured marble, travertine and limestone floors, fireplaces etc. that have been previously treated with HMK P335 Antique Marble Paste - light or HMK P336 Antique Marble Paste - dark. P337 makes subsequent cleaning and on-going maintenance easier. P337 is environmentally friendly and produced from natural waxes to give protection and a silky shine. For interior use only.

For regular cleaning and continued protection use HMK P324 Liquid Stone Soap, a no-rinse natural product.

Coverage: 5-15 sqm/liter

Maintenance and Polishing Sets



HMK® M521 Natural Stone Care Set - water based

M521 has been specially developed for smaller new and old polished, fine and brushed surfaces, such as tables, counter tops in living and kitchen areas, kitchentops, wash-basins, storage places etc. made with natural and artificial stone with polished, fine or brushed surface. With using these products the stone surface will be optimal cleaned, protected and maintained.

The set contains HMK R155 Intensive Cleaner - acid free, HMK S232 Stain Protection - water based and HMK P301 RSP - three in one (250 ml each).

Once dry the residual material is not hazardous to health and is approved for use with foodstuffs by the LFGB (German Food and Feed Code).



HMK® M529 Marble Polishing Set

M529 Repolishing Set allows you to refinish by hand your polished marble, dulled by water marks, wine, fruit juice, cola spills and other acids. Absolutely no machines or tools are need to perform this job. M529 is recommended for small area touch up work only.

NOTE: M529 is not effective on granite, resin based agglomerate, other non-calcareous stone, or surfaces coated with a urethane or similar protective coating. Darker natural stones usually do not polish as well or as easily as lighter colored stones.

The set contains HMK R155 Intensive Cleaner - acid free (500 ml), a Polishing Stone and HMK P321 Granite and Marble Polishing - Paste (100 ml).



HMK® M541 Natural Stone Care Set

M521 has been specially developed for smaller new and old polished, fine and brushed surfaces, such as tables, counter tops in living and kitchen areas, kitchentops, wash-basins, storage places etc. made with natural and artificial stone with polished, fine or brushed surface. With using these products the stone surface will be optimal cleaned, protected and maintained.

The set contains HMK R155 Intensive Cleaner - acid free, HMK S234 Stain Protection - extra and HMK P301 RSP - three in one (250 ml each).

Once dry the residual material is not hazardous to health and is approved for use with foodstuffs by the LFGB (German Food and Feed Code).



HMK® M565 Composite Quartz Care Set

M565 has been specially developed for smaller new and old polished, fine and brushed surfaces, such as tables, counter tops in living and kitchen areas, kitchentops, wash-basins, storage places etc. made out of Composite-Quartz with polished, honed, brushed and satin finished surface. With using these products the stone surface will be optimal cleaned, protected and maintained.

The set contains HMK R185 Composite Quartz Intensive Cleaner, HMK S246 Composite Quartz Stain Protection and HMK P305 Composite Quartz Spray Cleaner (250 ml each).

Once dry the residual material is not hazardous to health and is approved for use with foodstuffs by the LFGB (German Food and Feed Code).

Products for Specialised User



HMK® Z702 Defoamer

Z702 is a special additive for water vacuums that prevents the excessive development of foam when using HMK R155 Intensive Cleaner - acid free, HMK R157 Ceramic Tile Intensive Cleaner and HMK R185 Composite Quartz Intensive Cleaner.

Coverage: 1 ccm/10 liter



HMK® P703 Marble Shine

P703 is a special ready to use treatment for regenerating the shine of almost all polished and fine honed marble, limestone, agglomerate and terrazzo surfaces. P703 makes surfaces more durable and improves slip resistance. P703 is not suitable for hard stones, white marble, ceramic and porcelain tiles. For interior use only.

To clean surface thoroughly before treatment, use HMK R155 Intensive Cleaner - acid free. For regular cleaning and continued protection use HMK P324 Liquid Stone Soap, a no-rinse natural product and HMK P319 Marble and Granite Polish.

Coverage: 30-40 sqm/liter



HMK® P709 Silicate Fluid for Terrazzo

P709 is a ready to use surface reinforcing agent that increases the resistance to wear and hardens the surface of terrazzo, concrete bricks, concrete screed, garden ornaments etc. Treated areas become more resistant to friction wear and less dusty. The colour and gloss of the stone are not significantly affected. P709 is not suitable for use on fine honed and polished natural stones, ceramic and porcelain tiles. For interior and exterior use.

In order to reduce the penetration of dirt and water into the surface use HMK S232 Stain Protection - water based.

To clean surface thoroughly before treatment, use HMK R155 Intensive Cleaner - acid free. For regular cleaning and continued protection use HMK P324 Liquid Stone Soap, a no-rinse natural product.

Coverage: 3-10 sqm/liter



HMK® P717 Liquid Polishing Wax

P717 is a ready to use, quick drying polishing wax that enhances the colour and structure of soft and hard natural stone, agglomerate marble etc. and gives the surface a brilliant shine after polishing. The penetration of dirt and water is also reduced. For interior use only.

To clean surface thoroughly before treatment, use HMK R155 Intensive Cleaner - acid free. For regular cleaning and continued protection use HMK P324 Liquid Stone Soap, a no-rinse natural product and HMK P319 Marble and Granite Polish.

Coverage: 10-20 sqm/liter



HMK® P727 Re-Polishing Powder

P727 is a polishing powder for repairing and renewing the polish of marble and limestone surfaces, using special polishing machines fitted with a white nylon polishing pads.

For professional use only. P727 contains oxalic acid and can etch the surface if applied incorrectly.

To clean surface thoroughly before treatment, use HMK R155 Intensive Cleaner - acid free. For regular cleaning and continued protection use HMK P324 Liquid Stone Soap, a no-rinse natural product and HMK P319 Marble and Granite Polish.

Coverage: 40 sqm/kg



HMK® S731 Silane Impregnator

S731 is a ready to use silane based impregnator that reduces the penetration of water and dirt into rough or honed natural stone surfaces (soft and hard stones), concrete block and unglazed bricks. For interior and exterior use. The color and structure of the surface is enriched only very slightly.

To clean surface thoroughly before treatment, use HMK R155 Intensive Cleaner - acid free. For regular cleaning and continued protection use HMK P324 Liquid Stone Soap, a no-rinse natural product.

Coverage: 3-10 sqm/liter



HMK® S747 Stain Protection - Aqua

S747 is a ready to use, solvent free special impregnator that reduces the penetration of water, dirt and oil into all natural stone surfaces (soft and hard stone), terrazzo, terracotta, brick and block paving, clay surfaces and unglazed tiles. For interior and exterior use.

Once dry the residual material is not hazardous to health and is approved for use with food-stuffs by the LFGB (German Food and Feed Code).

To clean surface thoroughly before treatment use HMK R155 Intensive Cleaner - acid free. For regular cleaning and continued protection use HMK P324 Liquid Stone Soap, a no-rins natural product.

Coverage: 5-20 sqm/liter



HMK® S748 Stain Protection - Premium Color

S748 is a ready to use special impregnator that reduces the penetration of water, dirt, oil and grease in all natural stone surfaces (soft and hard stones), agglomerates and terrazzo. S748 is suitable for use on polished, honed and textured surfaces. The color and structure of the surface are significantly accentuated due to its color enhancing properties. For interior and exterior use.

Once dry the residual material is not hazardous to health and is approved for use with food-stuffs by the LFGB (German Food and Feed Code).

To clean surface thoroughly before treatment use HMK R155 Intensive Cleaner - acid free.
For regular cleaning and continued protection use HMK P324 Liquid Stone Soap, a no-rinse
natural product. Coverage: 5-20 sqm/l

Coverage: 5-20 sqm/liter



HMK® S749 Pre-Installation Impregnator

S749 is a ready to use solvent free impregnator to be used on all faces and sides of a tile or module prior to installation. S749 restricts the formation of efflorescence, water marks and reduces the risk of warping. It also reduces the penetration of grout into the surface of natural and artificial stone, brick, clay and terracotta panels. For interior and exterior use. The penetration of moisture will be greatly reduced thereby reducing the risk of chemical reactions caused by minerals within the body of the stone. Slate of all types cannot be treated with S749.

NOTE: In the case of low absorbing materials or if laying on a thick bed a thin contact layer of adhesive (at least grade-class C2, compliant to DIN EN 12004) should be applied on the back of the piece to improve adhesion.

Coverage: 5-10 sqm/liter



HMK® R764 Anti-Slip - porcelain and unglazed ceramic tiles

R764 is a special ready to use product that increases slip resistance on porcelain surfaces and unglazed ceramic tiles. R764 creates microscopic pores in the surface that work on wet surfaces to restrict slipping and sliding. Before beginning application test the product on a sample tile or in an inconspicuous place to evaluate the effectiveness and suitability.

When using a wet vacuum we recommend that you add HMK Z702 Defoamer to the water to regulate the amount of foam.

Coverage: 20-30 sqm/liter



HMK® R765 Anti-Slip - granite, gneiss and glazed tiles

R765 is a special ready to use product that increases slip resistance on granite, gneiss, quartzite and glazed tile surfaces. R765 creates microscopic pores in the surface that work on wet surfaces to restrict slipping and sliding. Before beginning application test the product on a sample tile or in an inconspicuous place to evaluate the effectiveness and suitability. When using a wet vacuum we recommend that you add HMK Z702 Defoamer to the water to regulate the amount of foam.

Coverage: 20-30 sqm/liter

R766 is a special ready to use product that increases slip resistance on marble, limestone, travertine, agglomerate marble, concrete and terrazzo surfaces. R766 creates microscopic pores in the surface that work on wet surfaces to restrict slipping and sliding. Before beginning application test the product on a sample tile or in an inconspicuous place to evaluate the effectiveness and suitability.

Coverage: 20-30 sqm/liter



R767 is an extra strong acid based concentrated cleaner for removing extremely persistent silicate pollution (from exhaust fumes and some paints), general atmospheric pollution, oily soot deposits, calcium deposits and mineralization on rough granite, gneiss and sandstone surfaces. For exterior use only.

Coverage: 30-100 sqm/liter



R771 is a special acid based concentrated cleaner for removing extremely persistent silicate pollution, atmospheric deposits, oily soot, water marks and mineralization from rough granite, gneiss and sandstone façades. For exterior use only.

Coverage: 10-30 sqm/liter



R773 is a special alkaline based concentrated cleaner for removing extremely persistent silicate pollution and atmospheric deposits from rough granite, gneiss, lime sandstone, clinker and sandstone façades. For exterior use only.

Coverage: 5-15 sqm/liter



R777 is a ready to use acid based cleaner that removes rust spots and stains from all acid tolerant hard stone. Special additives reduce the development of rust after treatment. Suitable for polished surfaces.

Coverage: 5-15 sqm/liter



R799 is a special ready to use solvent for cleaning and removing wax coatings, sealants and impregnators. Small areas can be treated and renovated quickly and easily. R799 also removes oil and fat from natural and composite stone and can be used on tools and equipment. Polished surfaces will not be damaged by R799.

Coverage: 3-5 sqm/liter

MOELLER STONE CARE

MÖLLER-CHEMIE Steinpflegemittel GmbH

Ziegelstalstrasse 2 - D-93346 Ihrlerstein

Phone +49-9441-176940 - Fax +49-9441-1769499

info@moellerstonecare.com - www.moellerstonecare.com

