
THE SOLUTION FOR ANY ARCHITECTURAL SYSTEM



## **DXPRO**

ARCHITECTURE & DESIGN



# **DXPRO**







#### MATT



#### BRUSHED











SOFT BRUSHED BRONZE

DEEP BRUSHED BRONZE





FAIR GOLD

MEDIUM GOLD

BRITE ZINC





OXPRO

APPLICATION

**FUNCTIONALITY** 

MAIN MARKET

Alloy: Thickness: Width:

Anodic layer: 8-25 µm

5005 AQ 1-3 mm

solid facades cassettes 1000-2000 mm curtain wall

stud welding routing laser cut bending 90°

(T2)excellent corrosion resistance

landmark building design educational building museum - hospitality offices and headquarters residential - resort

OXPRO PROFIL

**APPLICATION** 

**FUNCTIONALITY** 

MAIN MARKET

Alloy: Thickness: Width:

3005 AQ 0.70-1.50 mm 1000-2000 mm Anodic layer: 3-15 µm

deep drawing roll forming

up to 180° bends (TO-T1)

excellent corrosion noise reduction walls resistance

industrial building roofing

DXPRO BOND

APPLICATION

skin for ACP

FUNCTIONALITY

MAIN MARKET

Alloy: Thickness:

Width:

5005/1085 AQ 0.30 mm (indoor) 0.50 mm (outdoor)

1000-2000 mm Anodic layer: 5 µm (indoor) 8 µm (outdoor)

(Almeco can assist you connecting with ACP producer)

up to 90° bending

landmark building design excellent adhesion educational building excellent corrosion museum - hospitality resistance offices and headquarters residential - resort corporate branding

OXPRO

Thickness:

Anodic layer: 3-10 µm

Width:

APPLICATION

FUNCTIONALITY

MAIN MARKET

Alloy:

any anodizable alloy

0.30-3.00 mm

1000-2000mm

functional technical

electric insulator heat resistant heat conductor

distribution automotive appliances heat sink


COLOURS

organic colours - endless possibility electro colours (metal salt based) full range of bronze copper, zinc and gold

**TEXTURES** 

brite - brush - matt - satin other textures available on request

#### MAIN ADVANTAGES



#### WARRANTY

up to 25 years - this warranty does not apply to any deterioration caused by the action of acidic, alkaline, aggressive liquids, vapours or as a result of accidental damage, misuse, handling and cleaning operations not following the DXPRO maintenance procedures

100% recyclable 🛟

#### CERTIFICATIONS









### **DXPRO**



www.almecogroup.com