ICM – International Congress Center Messe München DETAILS HALL BO including technical specifications



Areas/rooms	Area in m ²	Theater	Classroom	Banquet
Hall B0	3,500	on request	on request	on request

The central multifunctional hall

Hall B0 offers 3,500 m² of multi-purpose usage options for up to 1,500 people. With the entire infrastructure of an exhibition hall, Hall B0 is suitable for your exhibitions and caterings as well as stylish gala dinners with short distances. All necessary connections for electricity, water, telecommunications and data transmission are available. Hall B0 combines perfectly with our stylish foyer. Both rooms feature very high-quality equipment and furnishings.



Specifications	
Logistics	 Delivery: direct access via gate 21 of the exhibition grounds Loading gate: 12.50 m width x 4.50 m height Entering the hall with motor vehicles is not permitted. The use of forklift trucks is reserved for accredited forwarding agents.
Suitable for	Exhibitions, catering, setting up additional conference rooms
Description	 Lighting: up to 400 Lux/m², no daylight The four central columns can be illuminated in color with LED RGBW lights. Suitable exhibition space: 2,488 m² Clearance height: 4 m Walls: wood paneling Floors: oak timber parquet Permissible point load: 30 cm x 30 cm: max. 2 t (20 kN) Permissible floor load: max. 2 t/m² (20 kN/m²) Suspension points: spacing approx. 5.10 m x 2.75 m, max. 100 kg (1 kN) perpendicular per point
Utilities	 Room climate: partially air-conditoning Utility ducts: diagonal to longitudinal direction of hall, spacing 5 m, cross section 35 cm x 38 cm Water connection: up to DN 25/3.5 bar from utility duct Waste water connection: up to DN 100 from utility duct Compressed air connection: up to DN 50/10 bar from utility duct Power supply: up to 85 kW per connection (CEE 125 A) from utility duct Phone connections: IP phone, fax machine analog Broadband connections: PMX Network connections: Internet access, dynamic and static public IP, connection type: Ethernet/RJ-45 and fiber optic E2000 Cable TV connections: digital broadband network (DVB-C)



ICM – International Congress Center Messe München HALL BO: EMPTY



Last update: October 11, 2019 Disclosure to third parties only permitted with written authorization. All specifications must be independently verified on location.





ICM – International Congress Center Messe München HALL BO: EMPTY INCL. STRUCTURE HEIGHT LIMITS



Last update: October 11, 2019 Disclosure to third parties only permitted with written authorization. All specifications must be independently verified on location.





ICM – International Congress Center Messe München HALL B0: SUSPENSION POINTS UTILITY DUCTS



Last update: October 11, 2019 Disclosure to third parties only permitted with written authorization. All specifications must be independently verified on location.



Utility ducts Suspension points Extinguisher Escape route

Area in m²

3,500

Exhibition Terms and Conditions: • Exhibition layout with sufficient emergency aisles between the hatched areas • Fire extinguishing equipment and emergency escape routes must be kept clear at all times, even during setup and dismantling • Dimensions must be independently verified on location

ICM – International Congress Center Messe München HALL BO: BUILDABLE SPACE





Last update: October 11, 2019 Disclosure to third parties only permitted with written authorization. All specifications must be independently verified on location.

